

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7858	711/144-145.ccls. or 711/159.ccls. or 711/133-134.ccls. or 711/150-152.ccls. or 711/154-155.ccls. or 711/158.ccls. or 711/168.ccls. or 711/141.ccls. or 711/140.ccls. or 711/156.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:04
L2	2595	712/200.ccls. or 712/203.ccls. or 712/225-229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:05
L3	1133	710/200.ccls. or 710/240.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:05
L4	1107	365/195-196.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:06
L5	1	james-kokn\$.in. or robert-baird\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:08
L6	1849	((synchroniz\$5 swap\$4) near5 instruction) "test and set") same (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:12
L7	1498	(prevent or disabl\$3) with invalidat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:12
L8	19480	(prevent\$5 or disabl\$3 or enabl\$3 or inhibit\$3 or prohibit\$3) with (invalidat\$4 or purg\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:13

L9	436	(prevent\$5 or disabl\$3 or inhibit\$3 or prohibit\$3 or stop\$4) with (invalidat\$4) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:27
L10	12367	1 or 2 or 3 or 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:16
L11	11	6 and 10 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:17
L12	11	11 and (@ad<="20011024" or @rlad<="20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:26
L13	19	6 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:26
L14	19	13 and (@ad<="20011024" or @rlad<="20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:32
L15	534	((prevent\$5 or disabl\$3 or inhibit\$3 or prohibit\$3 or stop\$4) with (invalidat\$4)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:28
L16	8	14 not 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:32

L17	19	6 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:32
L19	19	17 and (@ad<="20011024" or @rlad<="20011024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:33
L20	0	19 not 16 not 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:33